

# CY2020 ACC Performance Measures Reference Guide

The ACC Reference Guide outlines metrics measured by CMS and NCQA. The guidelines discuss eligible membership, documentation standards, frequency, and suggested CPT/ICD -10 billing codes. The code set is **not all inclusive**. The guideline also outlines additional measures that affect quality and performance, such as immunizations and member survey questions.

## PREVENTIVE CARE

Measure	Well-Child Visits in the First 15 Months of Life (W15-CH)
Age	0 to 15 months
Frequency	As recommended by CDC and/or Provider
ICD 10 Code(s)	Z00.110- Health exam for newborn under 8 days old, Z00.111- Health exam for newborn 8- 28 days old, Z00.121 Encounter for routine child health exam w/abnormal findings, Z00.129- Encounter for routine child health exam w/o abnormal findings, 99381 New Patient <1 yr, 99382 New Patient 1-4 yrs, 99383 New Patient 5-11 yrs, 99384 New Patient 12-17 yrs, 99385 New Patient 18-39 yrs, 99391 Estab Patient <1 yr, , 99392 Estab Patient 1-4 yrs, 99393 Estab Patient 5-11 yrs, 99394 Estab Patient 12-17 yrs, 99395 Estab Patient 18-39 yrs
Data Collection Method(s)	Administrative or EHR

Measure	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents- Body Mass Index Assessment for Children/Adolescents (WCC-CH)
Age	3-17 years
Frequency	Measurement year
Documentation Requirement	Documentation must include height, weight and BMI percentile during the measurement year. The following meets criteria for BMI percentile: BMI percentile documented as a value BMI percentile plotted on age-growth chart
CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	20 yrs.: Z68.1, Z68.20-Z68.39, Z68.41-Z68.45 <20 yrs.: Z68.51, Z68.52, Z68.53, Z68.54
Data Collection Method(s)	Administrative, hybrid, or EHR

Measure	Chlamydia Screening in Women Ages 16-20 (CHL-CH)
Age	16-20 years
Frequency	Measurement year
Documentation Requirement	Test result

CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	Z11.3, Z72.5, Any Pregnancy code, Any Sexually active code, Any pregnancy test code
Data Collection Method(s)	Administrative or EHR

Measure	Childhood Immunization Status (CIS-CH)
Age	0-21 years
Frequency	As recommended by CDC and/or Provider
Documentation Requirement	Must use vaccines from VFC and document in ASIIS. Note must indicate name of the specific antigen and the date of immunization; or Certificate of immunization prepared by an authorized health care provider or agency, including the specific dates and type of immunizations administered
CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	Z23, 90700 DTaP, 90713 IPV, 90707 MMR, 90647 HiB, 90744 Hep B, 90716 VZV, 90670 PCV, 90633 Hep A, 90680 RV, FLU vaccine based on strain
Data Collection Method(s)	Administrative, hybrid, or EHR

Measure	Immunization for Adolescent (IMA-CH)
Age	Adolescents who turn 13 during the measurement year
Frequency	As recommended by CDC and/or Provider
Documentation Requirement	Must use vaccines from VFC and document in ASIIS. Note must indicate name of the specific antigen and the date of immunization; or Certificate of immunization prepared by an authorized health care provider or agency, including the specific dates and type of immunizations administered
CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	Z23
Data Collection Method(s)	Administrative or hybrid

Measure	Developmental Screening in the First 3 years of Life (DEV-CH)
Age	0-3 years
Frequency	One within the first 3 years of life
Documentation Requirement	AHCCCS approved screening tool

CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	Z13.4, Z13.49
Data Collection Method(s)	Administrative or hybrid

Measure	Well- Child Visits in the 3rd, 4th, 5th, and 6th years of Life (W34-CH)
Age	3-6 years
Frequency	At least one comprehensive well-care visit with a Primary care practitioner (PCP) during the measurement year
Documentation Requirement	The PCP does not have to be assigned to the child. Must include a note indicating a visit to PCP, the date when the well-care visit occurred and evidence of: a health history, a physical development history, a mental developmental history, a physical exam, health education/anticipatory guidance
CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	Z00.121 Normal findings, Z00.129 Abnormal findings,
Data Collection Method(s)	Administrative or hybrid

Measure	Adolescent Well-Care Visits (AWC-CH)
Age	12-21 years
Frequency	At least one comprehensive well-care visit with a Primary care practitioner (PCP) or an Obstetric/gynecologic (OB/GYN) practitioner during the measurement year
Documentation Requirement	The PCP does not have to be assigned to the adolescent. Must include a note indicating a visit to PCP or OB/GYN, the date when the well-care visit occurred and evidence of: a health history, a physical development history, a mental developmental history, a physical exam, health education/anticipatory guidance
CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	Z00.121 Normal findings, Z00.129 Abnormal findings,
Data Collection Method(s)	Administrative or hybrid

Measure	Screening for Depression and Follow-up Plan (CDF-CH)
Age	12-17 years on date of encounter
Frequency	Follow-up plan is documented on the date of the positive screening

Documentation Requirement	An AHCCCS approved assessment tool that has been appropriately normalized and validated for the population in which it is being utilized. The name of the age appropriate standardized depression screening tool utilized must be documented in the medical record
CPT/CPT II Code(s)	59400, 59510, 59610, 59618, 90791,090792, 90832, 90834, 90837, 92625, 96116, 96118, 96150, 96151, 97165, 97166, 97167, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397
HCPCS	G0101, G0402, G0438, G0439, G0444, G0502, G0503, G0504, G0505G0507
Data Collection Method(s)	Administrative ONLY (Claims data only)

## UTILIZATION

Measure	Access to care 12months to 19 years old (CAP-CH
Age	12-24 months
Frequency	Measurement year
Description	Members 12 months-19 years of age who have a visit with a PCP

## PREVENTIVE SCREENINGS

Measure	Breast Cancer Screening*
Age	50 to 74 years
Frequency	Every 2 years
CPT/CPT II Code(s)	3014F (will not close the measure)

Measure:	Colorectal Cancer Screening*
Age	50 to 75 years
Frequency	Colonoscopy: Every 10 yrs. FOBT/ FIT-DNA Test: Every 3 yrs. Flexible Sigmoidoscopy: Every 5 yrs.
CPT/CPT II Code(s)	Colorectal cancer screening results documented and reviewed: 3017F (will not close the measure) FIT-DNA Test: 81528 (Cologuard) FOBT: 82270, 82274, G0328 Flexible Sigmoidoscopy: 45330-35, 45337-42, 45349-50

## COMPREHENSIVE DIABETES CARE (CDC)

Measure	HbA1C Blood Sugar Testing
Age	18 to 75 years

Documentation Requirement	Last documented date and result of the year
CPT/CPT II Code(s)	83036, 8307, 3044F, 3045F, 3046F

## BEHAVIORAL HEALTH

Measure	Initiation and engagement of Alcohol and Other Drug Abuse or Dependence Treatment (MPS TBD)
Age	13+ years
Frequency	Initiation Phase: Members who initiate treatment through an inpatient AODA (Alcohol and Other Drug Abuse) admission, outpatient visit, intensive outpatient encounter or partial hospitalization within 14 days of the diagnosis.  Engagement Phase: Members who initiate treatment and have two or more additional services with a diagnosis of AODA within 30 days of the initiation visit.
CPT/CPT II Code(s)	98960-98962; 99078;99201-99205; 99211-99215; 99217-99220; 99241-99245; 99341-99345; 99347-99350; 99384-99387; 99394-99397; 99401-99404; 99408-99409; 99411-99412; 99510
ICD 10 Code(s)	F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24, F10.250 F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, F10.29F11.20, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29F12.20, F12.220, F12.221, F12.222, F12.229, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29F14.20, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29F16.20, F16.220, F16.221, F16.229, F16.24, F16.250,F16.251, F16.259, F16.280, F16.283, F16.288, F16.29F18.20, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29

Measure	Medical Assistance with Smoking and Tobacco Use Cessation (MSC)+ Baseline Year
Age	18+ years
Frequency	Yearly
Documentation Requirement	CAHPS Health Plan Survey
CPT/CPT II Code(s)	N/A
ICD 10 Code(s)	N/A

Measure	Antidepressant Medication Management (AMM) Baseline Year
Age	18+ years
Description	Effective Acute Phase Treatment: Adults who remained on an antidepressant medication for at least 84 days (12 weeks).

	Effective Continuation Phase Treatment: Adults who remained on an antidepressant medication for at least 180 days (6 months).
CPT/CPT II/ HCPCS Code(s)	98960-98962; 99201-99205; G0410; G0411 H0035; S0201; 99217-99220, 99281-99285
ICD 10 Codes	F32.0-F32.4; F32.9; F33.0- F33.3; F33.41; F33.9

Measure	Follow-Up After Hospitalization for Mental Illness (FUH) - 7 Days, 30 Days: (Mps: 60%, 85%)
Age	6+ years
Description	Discharged from an inpatient admission for select mental illness diagnoses and One follow-up outpatient visit, intensive outpatient encounter, or partial hospitalization with a mental health practitioner.
CPT/CPT II Code(s)	98960-98962; 99201-99205
ICD-10 Codes	F20.0-F20.3; F20.5; F20.81; F20.89; F20.9; F21-F24; F25.0-F25.1; F25.8-F25.9; F28; F29; F30.10-F30.13; F30.2-F30.4; F30.8-F30.9; F31.0; F31.10-F31.13; F31.2; F31.30-F31.32; F31.4- F31.5; F31.60-F31.64; F31.70- F31.78; F31.81; F31.89; F31.9; F32.0- F32.5; F32.8-F32.81; F32.9; F33.0-F33.3; F33.40-F33.42; F33.8-F33.9; F34.0- F34.1; F34.8-F34.81; F34.89; F34.9; F39; F42; F42.2-F42.4; F42.8-F42.9; F43.0; F43.10- F43.12; F43.20-F43.25; F43.29; F43.8-F43.9; F44.89; F53; F60.0-F60.7; F60.81; F60.89; F60.9; F63.1-F63.3; F63.81; F63.89; F63.9; F68.10-F68.13; F68.8; F84.0; F84.2-F84.3; F84.5; F84.8-F84.9; F90.0-F90.2; F90.8 F90.9; F91.0-F91.3; F91.8-F91.9; F93.0; F93.8-F93.9; F94.0-F94.2; F94.8-F94.9

Measure	Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications (SSD) (Baseline Year)
Age	18-64 years
Description	The percentage of members 18-64 years of age with schizophrenia, schizoaffective disorder or bipolar disorder, who were dispensed antipsychotic medication and had a diabetes screening test during the measurement year.
CPT/CPT II Code(s)	80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951, 83036, 83037, 3044F-3046F
ICD-10 Codes	F20.0-F20.3, F20.5, F20.81, F20.89, F20.9, F25.0, F25.1, F25.8, F25.9, F30.10-F30.13, F30.2-F30.4, F30.8-F30.9, F31.0, F31.1-F31.13, F31.2-F31.32, F31.4-F31.64, F31.7-F31.78

Measure	Follow-Up after Emergency Department Visit for Alcohol and Other Drug Dependence (FUA) – 7 days, 30 days. (MPS TBD)
Age	13+ years
Description	Patients 13 years of age and older that had an emergency department (ED) visit with a principal diagnosis of alcohol or other drug (AOD) dependence, who had a follow up visit for AOD.
CPT/CPT II Code(s)	98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99384-99387, 99394-99397, 99401-99404, 99408, 99409, 99411, 99412, 99510

HCPCS	G0155, G0176, G0177, G0396, G0397, G0409-G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034- H0037, H0039, H0040, H0047, H2000, H2001, H2010, H2020, H2035, H2036, M0064, S0201, S9480, S9484, S9485, T1006, T1012, T1015
-------	--

Measure	Follow-Up after Emergency Department Visit for Mental Illness (FUM) – 7 days, 30 days MPS (TBD)
Age	6+ years
Description	Patients 6 years of age and older who had an emergency department (ED) visit with a principal diagnosis of mental illness or intentional harm, who had a follow-up visit for mental illness
CPT/CPT II Code(s)	98960–98962, 99078, 99201–99205, 99211–99215, 99241–99245, 99341–99345, 99347–99350, 99381–99387, 99391–99397, 99401–99404, 99411, 99412, 99510
HCPCS/ICD-10PCS	G0155, G0176, G0177, G0409, G0463, H0002, H0004, H0031, H0034, H0036–H0037, H0039, H0040, H2000, H2010, H2011, H2013-H2020, M0064, T1015, GZB0ZZZ –GZB4ZZZ

Measure	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (HPCMI) MPS (TBD)
Age	18-75 years
Description	Percentage of Medicaid beneficiaries ages 18 to 75 with a serious mental illness and diabetes (type 1 and type 2) who had Hemoglobin A1c (HbA1c) in poor control (>9.0%)
CPT Codes	SMI/Diabetes Diagnosis codes, 83036, 97802, 97803, 97804, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99217, 99218, 99219, 99220, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99281, 99282, 99283, 99284, 99285, 99291, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0270, G0271, G0402, G0438, G0439
ICD-10 Codes	E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.3211, E10.3212, E10.3213, E10.3219, E10.3291, E10.3292, E10.3293, E10.3299, E10.3311, E10.3312, E10.3313, E10.3319, E10.3391, E10.3392, E10.3393, E10.3399, E10.3411, E10.3412, E10.3413, E10.3419, E10.3491, E10.3492, E10.3493, E10.3499, E10.3511, E10.3512, E10.3513, E10.3519, E10.3521, E10.3522, E10.3523, E10.3529, E10.3531, E10.3532, E10.3533, E10.3539, E10.3541, E10.3542, E10.3543, E10.3549, E10.3551, E10.3552, E10.3553, E10.3559, E10.3591, E10.3592, E10.3593, E10.3599, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.37X9, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44,

Measure	Use of Opioids at High Dosage in Persons Without Cancer (OHD) MPS (TBD)
Age	18+ years
Description	The percentage of individuals ≥18 years of age who received prescriptions for opioids with an average daily dosage of ≥90 morphine milligram equivalents (MME) over a period of ≥90 days. (Excludes patients in hospice care and those with cancer.)
Data	Pharmacy Data Pull for specifications above

Measure	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA) (Baseline Year)
Age	19-64 years
Description	The percentage of members 19–64 years of age during the measurement year with schizophrenia or schizoaffective disorder who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.
CPT Codes	98960-98962
ICD-10 Code	F20.0, F20.81, F20.89
HCPCS Codes	G0410; G0411; H0035; S0201; S9480

Measure	Concurrent Use of Opioids and Benzodiazepines (COB) MPS (TBD)
Age	18+ years
Description	Percentage of beneficiaries age 18 and older with concurrent use of prescription opioids and benzodiazepines
Data	Pharmacy Data Pull

## CHILD BEHAVIORAL HEALTH SPECIFIC

Measure	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication (ADD) MPS (Baseline Year)
Age	6-12 years
Description	Children 6-12 years newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication that had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed.
CPT Code(s)	96150-96154, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99384, 99391-99394, 99401-99404, 99411, 99412, 99510, 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99251-99255, 98966-98968, 99441-99443
HCPCS Codes	G0155, G0176, G0177, G0409- G0411, G0463, H0002, H0004, H0031, ADD Stand Alone Visits H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, M0064, S0201, S9480, S9484, S9485, T1015

Measure	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP) MPS (TBD)
Age	1-17 years
Description	Percentage of children and adolescents ages 1 to 17 who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.
CPT Codes	90832-90834; 90836-90840; 90845-90847; 90849; 90853; 90875-90876; 90880



Measure	Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC) MPS 2%
Age	1-17 years
Description	Children on 2 or more concurrent antipsychotic medications for 90 days or more during the measurement year
Data	Pharmacy Data Pull within Agency

Measure	Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM) (TBD)
Age	1-17 years
Description	<ul style="list-style-type: none"> <li>• At least 2 antipsychotic prescriptions (same or different medications) on different dates during the measurement year</li> <li>• Blood glucose or HbA1c test during the measurement year and</li> <li>• LDL-C or cholesterol test during the measurement year</li> </ul>
CPT Code(s)	CPT Codes to identify cholesterol tests other than LDL: 82465; 83718; 84478

## UTILIZATION

Measure	Mental Health Utilization (MPT) MPS (TBD)
Age	All
Description	<p>The number and percentage of members receiving the following mental health services during the measurement year:</p> <ul style="list-style-type: none"> <li>• Inpatient</li> <li>• Intensive outpatient or partial hospitalization</li> <li>• Outpatient</li> <li>• Emergency department (ED)</li> <li>• Telehealth</li> <li>• Any service</li> </ul>
Expansive Code Set	See AHCCCS BH Services Matrix